

ALUMINIUM IT'S IN OUR NAME

Since 1949 we've been working with aluminium, the super sustainable metal, and for over 25 of those years we've been designing highly desirable aluminium windows and doors specifically for the UK market.

Our comprehensive range brings together the latest innovations, stunning aesthetic designs, a vast choice of finishes, all engineered to the highest standards in security and performance that you'll come to expect from any of our products.

ALUK HOME. ENHANCE YOUR LIFE.





AT A GLANCE

WINDOWS

Our extensive window range has something for everyone and every home. From classic cottages to modern mansions, our high performing and beautiful windows are the perfect upgrade.

BIFOLDING DOORS

Stunning and welcoming, our bifold doors deliver outstanding reliability, performance and design. Enabling you to expand your living space and open up wide expanses of your external walls to your outside space.

SLIDING DOORS

Let the light into your home with high performance aluminium sliding doors. They will enhance your home aesthetics and help you create your dream home.

ENTRANCE DOORS

The entrance to any home helps to create the first impression, which means that the front door is a vital addition to the aesthetics of your home. And our stylish, safe and sercure entrance doors tick all the boxes.

SAFE AND SECURE

You can rest assured that our window and door systems will help keep your home safe. Fully accredited by the Secured by Design scheme, and certified by PAS 24, the industry safety standard, it provides superior security.














BE INSPIRED BY ALUMINIUM

From flush finish windows the ideal choice from cottages to contemporary. To awe inspiring bifolds that fuse the boundaries between inside and outside living.

To radiant colour choices, glorious glazing options, ergonomic handles and much, much more.

Whatever your property. Whatever your style, there's an AluK Home aluminium window and door for you.



COLOUR FULL

The AluK Colour Collection combines high-quality colour ranges reflecting both the latest colour trends and the enduring classics within the market.

ELEMENTS

Our stylish matt colour range features 18 vibrant colour options in a smooth finish. Inspired by the diversity of nature, Elements offers the perfect combination of rich colours and versatile shades that will compliment any style of property.



HOMESTEAD

Inspired by traditional and period design, our timeless Homestead range offers a classic palette of tranquil neutrals and deep, cool hues. Homestead has 14 tasteful colour options to discover, all in a long-wearing textured finish for windows and doors.





FINISHING TOUCHES

Our hardware range of contemporary and traditional handles provide a stylish look, utilising modern technology to ensure secure, high performance windows that are built to last.

All handles are available in deep black, hipca white and satin chrome finishes.

We also offer options for cills and bay poles for bay windows.

OPTIO FLUSH WINDOW

PART L
COMPLIANT

The perfect choice for contemporary new build and refurbishment projects





A FLAWLESS FLUSH FINISH

Less is most definitely more when it comes to the OPTIO Flush window. With a high end, minimalist frame design and slim sightlines, the OPTIO Flush is the perfect choice for contemporary new build and refurbishment projects. With a choice of slim sashes and a range of window configuration options, the OPTIO Flush can be used to achieve a sleek, minimal aesthetic to suit any project.



MATCH YOUR STYLE


That desirable flush shadow line can be customised with a choice of flat or chamfered sash styles to suit your property. Add glazing bars for period charm or frame your outside view with large picture windows. With a wide range of configurations, from French Casement to bay windows, and the latest in colour and textured finishes, the OPTIO Flush allows you to create your window your way.

Product information

U-Value (Double Glazing) (Ug: 1.0 W/m²K)	1.4 W/m²K
System Depth	70mm
Top Hung Size (mm)	Max 1750w x 2500h Min 300w x 350h
Top Hung Max Weight	180kg
Side Hung Size (mm)	Max 1300w x 1750h Min 300w x 300h
Side Hung Max Weight	55kg
Fixed Light Max Weight	250kg
Glazing Options	Internal and External Bead
Glazing Thickness	24mm - 40mm

SAFE AND SOUND

With excellent air, water and wind resistance test results, this window has been designed to keep your home warm and withstand the worst of the British weather. With full PAS 24, Secured By Design, and Q Mark accreditations your new windows will leave you feeling totally safe as well as stylish.















DESIGNED AROUND YOU

Packed with versatile design choices, flexible configurations, and high energy performance, the OPTIO Casement is the window of choice for modern living. Whether your home is a Victorian semi, a country cottage, a Georgian townhouse or a contemporary self-build, with the OPTIO Casement Window there'll be a choice for you.



MATCH YOUR STYLE

Create your window your way; blend in or stand out with our range of customisations and colours. From a choice of sash styles, openings, configurations and glazing bars, to our AluK colour range specifically designed to bring you the latest in colour and textured finishes, the OPTIO Casement range gives your home that extra level of personalisation.


Product information

U-Value (Double Glazing) (Ug: 1.0 W/m²K)	1.4 W/m²K
System Depth	58 & 70mm
Top Hung Size (mm)	Max 1750w x 2500h Min 300w x 350h
Top Hung Max Weight	180kg
Side Hung Size (mm)	Max 838w x 1750h Min 300w x 300h
Side Hung Max Weight	55kg
Bottom Hung Max Weight	45kg (5 hinges)
Fixed Light Max Weight	250kg
Glazing Options	Internal Bead Internal & External Bead
Glazing Thickness**	24mm - 40mm

^{**}Other thicknesses may be possible dependant on profile combinations specified. Fabricators should refer to AluK technical manual glazing section for details

SAFE AND SOUND

With excellent air, water and wind resistance test results, this window has been designed to keep your home warm and withstand the worst of the British weather. With full PAS 24 accreditation, your new windows will leave you feeling totally safe as well as stylish.



U-Value

1.4
W/m²K
Double Glazing

75mm
Frame to Vent

Slim Sightlines

89mm

Vent to Mullion

Slim Sightlines

43mm
Fixed Light

58 mm or 70 mm System Depth Available

3 different style sash available: Contemporary, Ovalo and Bevelled



VINTAGE BEAUTY, MODERN BENEFITS

Introducing our aluminium Heritage Window Collection. Offering you all the style and elegance of steel windows; with the energy-efficiency, acoustic performance, and security of modern windows. Whether you are replacing original steel frames in a conservation area or restoring your property to its former glory, choosing AluK aluminium windows will give you stylish design options, an accessible price, and higher energy ratings for a warmer home.



MATCH YOUR STYLE

Create your window your way, blend in or stand out, with our range of customisations and colours. From a choice of sash styles, openings, glazing bars, and leaded glass, to our AluK colour range specifically designed to bring you the latest in colour and textured finishes that give your home that extra level of personalisation.


Product information

U-Value (Double Glazing) (Ug: 1.0 W/m²K)	1.4 W/m²K
System Depth	58 & 70mm
Top Hung Size (mm)	Max 1436w x 1336h Min 386w x 336h
Top Hung Max Weight	40kg
Side Hung Size (mm)	Max 1436w x 1336h Min 336w x 386h
Side Hung Max Weight	24kg
Bottom Hung Max Weight	45kg (5 hinges)
Fixed Light Max Weight	250kg
Glazing Options	Internal & External Bead
Glazing Thickness**	24mm - 32mm

^{**}Other thicknesses may be possible dependant on profile combinations specified. Fabricators should refer to AluK technical manual glazing section for details

SAFE AND SOUND

With excellent air, water and wind resistance test results, this window has been designed to withstand the worst of the British weather. With full PAS 24 accreditation you can feel completely safe as well as stylish.



U-Value

1.4
W/m²K
Double Glazing

Max size (Top Hung)
1436mm

X
1336mm

Slim Sightlines

66mm
Frame to Vent

Slim Sightlines

81mm

Vent to Mullion

Slim Sightlines

43mm

Fixed Light

58 mm Or 70 mm System Depth Available

2 different style of sash available: Contemporary and Bevelled



A FLUSH FINISH AND SLIMMER SASH

Less is most definitely more when it comes to the OPTIO Slimline Flush window. With a high end, minimalist frame design and slim sightlines, the OPTIO Slimline Flush is the perfect choice for contemporary new build and refurbishment projects. With a choice of slim sashes and a range of window configuration options, it can be used to achieve a sleek, minimal aesthetic to suit any project.



MATCH YOUR STYLE


That desirable flush shadow line can be customised with a choice of contemporary flat, heritage stepped edge or traditional putty line sash styles to suit your property. Add glazing bars for period charm or frame your outside view with large picture windows. With a wide range of configurations, from French Casement to bay windows, and the latest in colour and textured finishes, the OPTIO Slimline Flush allows you to create your window your way.

Product information

U-Value (Double Glazing) (Ug: 1.0 W/m ² K)	1.4 W/m²K
System Depth	58 & 70mm
Top Hung Size (mm)	Max 1436w x 1336h Min 386w x 336h
Top Hung Max Weight	40kg
Side Hung Size (mm)	Max 736w x 1436h Min 336w x 386h
Side Hung Max Weight	24kg
Fixed Light Max Weight	250kg
Glazing Options	Internal & External
Glazing Thickness	24mm - 32mm

SAFE AND SOUND

With excellent air, water and wind resistance test results, this window has been designed to withstand the worst of the British weather. With full PAS 24 accreditation you can feel completely safe as well as stylish.















TURN LIFE AROUND

Fusing desirability with versatility makes the OPTIO Tilt & Turn Window a welcome addition to any household. Simply tilt to allow for the flow of fresh air into your home without sacrificing safety and security. Then turn to fully open to allow ease of cleaning, or as a safe escape route in the event of an emergency. The window is at home in any style of property, from the ground floor upward.



MATCH YOUR STYLE

Clean lines and easy operation mean the OPTIO Tilt & Turn window is right at home in your new build or existing home. Choose from a wide range of openings and customise your windows in contemporary or square sash designs. Then take your design a step further with the perfect colour and textured finish from the AluK Colour Collection for that extra level of personalisation.


Product information

U-Value (Double Glazing) (Ug: 1.0 W/m²K)	1.4 W/m ² K
System Depth	58 & 70mm
Top Hung Size (mm)	Max 1725w x 2300h
Side Hung Size (mm)	Min 380w x 575h 480w x 375h
Side Hung Max Weight	150kg
Fixed Light Max Weight	250kg
Glazing Options	Internal Bead
Glazing Thickness**	24mm - 40mm

**Other thicknesses may be possible dependant on profile combinations specified. Fabricators should refer to AluK technical manual glazing section for details

SAFE AND SOUND

With excellent air, water and wind resistance test results, this window has been designed to keep your home warm and withstand the worst of the British weather. With full PAS 24 accreditation, your new windows will leave you feeling totally safe as well as stylish.













OPTIO ENTRANCE DOOR

Enjoy a warm welcome every day with our sleek and stylish aluminium entrance door



A WARM WELCOME EVERY DAY

Enjoy a warm welcome every day with our sleek and stylish OPTIO Entrance Door. Reliable and versatile, this good-looking door will keep your home safe and warm. Excellent weather performance and thermal break technology combine to deliver a highly energy-efficient door that also boasts concealed locks and security hardware for extra peace of mind.





Designed to complement our much-loved window range, the OPTIO Entrance Door offers a wide range of styles – from traditional Victorian to the ultra-modern. Every entrance door in the range is available in single and double configurations. Create your door your way with our wide range of frame and hardware styles, including a variety of panel and glazing options.


Make a real statement with a bold choice from our AluK Colour Collection, specifically designed to bring you the latest in colour and textured finishes that give your home that extra level of personalisation.

Product information

U-Value (Double Glazing) (Ug: 1.0 W/m²K)	1.4 W/m²K
System Depth	58 & 70mm
Single Open Out Max Door Size (mm)	1200w x 2400h
Double Open Out Max Door Size (mm)	2400w x 2400h
Single & Double Open Out Max Door Weight	3 Hinges 67.5kg 4 Hinges 90kg
Single & Double Open Out Glazing Thickness	24mm - 40mm

SAFE AND SOUND


With excellent air, water and wind resistance test results, this entrance door has been designed to keep your home warm and withstand the worst of the British weather (BS6375). With full PAS24 accreditation you can feel completely safe as well as stylish.











OPEN UP YOUR LIVING SPACE

Remove the boundaries between inside and out with our all aluminium OPTIO Bifold Doors. When closed, the slim sightlines and large glazed areas flood your inside space with natural light, and when open our unique door handle allows for the uniform stacking of panels. All designed to create a clean and uncluttered look, seamlessly connecting indoor and outdoor living.



FOLD YOUR WAY

Create your bifold your way with our wide range of frame and configuration styles, including floating corner opening, multiple options for wider glazing, and the option to open in or out. Choose from the traditional chamfered or contemporary square designs to suit your home. Make a real statement with our AluK Colour Collection, specifically designed to bring you the latest in colour and textured finishes that give your home that extra level of personalisation.

Product information

U-Value (Double Glazing) (Ug: 1.0 W/m ² K)	1.4 W/m²K
System Depth	70mm
Max Leaf Height (mm)	2400 standard 3000
Max Leaf Width (mm)	1200
Max Vent Weight	100kg
Glazing Options	Internal Bead
Glazing Thickness**	24mm - 40mm

**Other thicknesses may be possible dependant on profile combinations specified. Fabricators should refer to AluK technical manual glazing section for details

SAFE AND SOUND

With excellent air, water and wind resistance test results, this bifold door has been designed to keep your home warm and withstand the worst of the British weather. With full PAS24 accreditation you can feel completely safe as well as stylish.
















MODERN DESIGN, MAXIMUM LIGHT

Crafted for elegance and functionality, this inline sliding door enhances any living space with its sleek profile and effortless operation. Designed to maximise natural light and offer superior thermal efficiency, it seamlessly integrates to any type of property. Perfect for new build or renovations, it combines robust design with aesthetic appeal, setting a new standard in residential sliding doors.





MATCH YOUR STYLE

Create your sliding door your way, blend in or stand out, with our range of colours. The AluK colour range has been specifically designed to bring you the latest in colour and textured finishes that give your home that extra level of personalisation.


Configurations



These are examples of popular door configurations, though many more are possible.

SAFE AND SOUND

Designed to withstand the worst of the British weather as well as keeping you safe and secure.















OPTIO LIFT & SLIDE DOOR

The perfect addition for homes of any size, from modern city centre balconies to opening out onto countryside vistas.







LET LIFE SIMPLY SLIDE

Enjoy large expanses of light with our smooth operation, all aluminium sliding door range. It makes the perfect addition for homes of any size, from modern city centre balconies to opening out onto countryside vistas. The OPTIO lift & slide door is the perfect addition to any home looking to let natural light flood in.



STAY ON TRACK

Create your slider your way with our wide range of frame and sliding styles, including track, panel and glazing options. And make a real statement with our AluK Collection, specifically designed to bring you the latest in colour and textured finishes that give your home that extra level of personalisation.

Product information

U-Value (Double Glazing) (Ug: 1.0 W/m ² K)	1.4 W/m²K
System Depth	140 – 217.5mm
Max Outer Frame W x H	Double Track 4982mm x 3100mm
Max Vent Weight	420kg
Glazing Options	Internal Bead
Glazing Thickness	24mm - 48mm

SAFE AND SOUND

Made to withstand the worst of the British weather as well as boasting concealed locks and security hardware for extra peace of mind.














MAKE A MINIMAL STATEMENT

The OPTIO Flush Entrance door from AluK is the perfect addition for those looking for a more modern feel. Not only does it look good, but it's a born performer too, keeping your home safe and warm. Designed to complement our stylish OPTIO Flush window range, and engineered with security and flexibility front of mind, The Entrance door in the range is available in single and double configurations.



COME AND GO IN STYLE


Create your door your way with our wide range of frame and hardware styles, including various panel and glazing options. Make a real statement with our AluK Colour Collection, specifically designed to bring you the latest in colour and textured finishes that give your home that extra level of personalisation.

Product information

U-Value (Double Glazing) (Ug: 1.0 W/m²K)	1.6 W/m ² K
System Depth	58 – 70mm
Maximum Door Leaf Size (mm)	1200w x 2400h
Maximum Door Leaf Weight	2 Hinges 100kg 3 Hinges 125kg 4 Hinges 150kg
Glazing Options	Internal Bead
Glazing Thickness	24mm - 40mm

SAFE AND SOUND

With excellent air, water and wind resistance test results, this entrance door has been designed to withstand the worst of the British weather. And, with full PAS24 and Secured By Design accreditation you can feel completely safe as well as stylish.











AluK (GB) Ltd Newhouse Farm Ind Est Chepstow NP16 6UD

Tel: +44 (0)1291 639 739

A L U K H O M E . C O M

